

ABC distribution boxes and pole mounted cut outs



ABC distribution boxes and pole mounted cut outs



Pole mounted ABC distribution boxes are 200A rated and can supply up to 9 service cables balanced over three phases. A high grade engineering thermoplastic has been selected to cope with the harsh installation conditions which include constant exposure to the effects of UV rays, frost, wind and rain.

Due to sometimes corrosive atmospheric conditions particularly in coastal areas, both the terminal blocks and terminal screws are electro-tin plated with the individual bores having a grease filling to maintain optimum conductivity. Suitable for open wire overhead line distribution or underground supply systems, the terminals accept both concentric service cable and aluminium ABC conductors.

- CNE and SNE versions available
- Two M8 pinching screws per conductor with 4mm hexagon drive heads
- Service conductor sizes up to 70mm²
- Capacity for 120mm² incoming cables
- Hinged cover with stay to aid installation in windy conditions
- Insulated quarter turn cover fixing with additional padlock facilities for cover
- Clear polycarbonate shrouds over Phase and Neutral/Earth terminal blocks
- Pre-moulded mounting holes in base fitted with removable plugs avoid the need for on-site drilling
- Suitable for direct mounting to wooden poles or alternatively attachment to walls
- Internal protection to IP2XB
- Outgoing cables exit through bottom of unit via foam cable bush
- IP43 rated

Conformity to Standards

- Conforms to ENATS 43-14



Pole mounted cut outs

Used primarily as a fusing point for a single incoming supply taken directly from the overhead transformer, the PMC 400 offers the same IP43 characteristics as the ABC distribution box. Excellent resistance to ultra violet rays and general weathering dictates the use of a special blend of glass filled PBT/ASA material for the complete housing.

The fuse handle can be fixed to the PMC body with a lanyard if desired to aid the installation process. As a secondary application, the PMC can be used as a sectionaliser to make alternative power supplies from a generator available in the event of a local failure. Aluminium cables of up to 300mm² section can be accommodated using either compression lug or mechanical shear-off terminations.

- Accepts BS 88 J type fuse links up to 400A with 83mm centres
- IP43 rated
- Supplied with M10 x 90mm coach bolt for fixing to pole
- Flexible cable sealing bushes mould to cable shape
- Fuse handles have corrosion resistant brass wedges for fuse clamping
- Test probe access in fuse handle
- 300mm² maximum cable size with M12 studs for cable lug attachment
- 400A continuous rating

Conformity to Standards

- Conforms to BS 7656: 1993 + A1: 2013



Disclaimer

Lucy Electric has a policy of continuous research and development and accordingly reserves the right to change the design and specification of its products without prior notice.

Lucy Electric worldwide offices

Lucy Electric Ltd.

Howland Road, Thame, Oxfordshire,
OX9 3UJ, United Kingdom
Tel: +44 1844 267 267 General
Tel: +44 1844 267 222 Sales
Fax: +44 1844 267 223
Email: salesuk@lucyelectric.com

Lucy Middle East FZE.

PO Box 17335, Jebel Ali, Dubai,
United Arab Emirates
Tel: +97 148 129 999
Fax: +97 148 129 900
Email: salesme@lucyelectric.com

Lucy Electric (Thailand) Ltd.

388 Exchange Tower,
37th Flr Unit 3702,
Sukhumvit Road, Klongtoey Sub
district,
Klongtoey District, Bangkok,
10110, Thailand
Tel: +66 (02) 663 4290
Fax: +66 (02) 663 4293
Email: salesth@lucyelectric.com

Lucy Switchgear Arabia Co. Ltd.

Novotel Business Centre,
P.O. Box 35340, Dammam 31488,
Saudi Arabia
Tel: +966 138 147 910
Fax: +966 138 147 914
Email: salessa@lucyelectric.com

Lucy Electric (South Africa).

Unit 12 & 13, Block C,
Honeydew Business Park,
1503 Citrus Street, Laser Park,
Honeydew, 2170, South Africa
Tel: +27 11 025 7490
Fax: +27 11 794 3277
Email: salesza@lucyelectric.com

Postal Address:

P.O. Box 1078, Honeydew, 2040

Lucy Asia Pacific Sdn Bhd.

L17-05-06, PJX-HM Shah Tower,
No16A Jalan Persiaran Barat,
46050 Petaling Jaya, Se-
langor, Malaysia
Tel: +603 74910700
Fax: +603 79316923
Email: salesmy@lucyelectric.com

Lucy Equipamentos Elétricos Ltda.

Av. das Araucárias 2558
Thomaz Coelho, CEP 83707-067,
Araucária Paraná State, Brazil
Tel: +55 (41) 2106 2801
Email: salesbrazil@lucyelectric.com

Lucy Electric India Private Ltd

F-10, MIDC, Ambad
Nasik 422010
India
Tel: +91 253 2381603
Fax: +91 253 2381247
Email: leindia@lucyelectric.com

engineering intelligent solutions
www.lucyelectric.com